

RECORDED IN OFFICIAL RECORDS INSTRUMENT # 2034532 4 PGS

This Document Prepared By and Return to:
Darryl J. Tompkins, Esquire
Darryl J. Tompkins, P.A.
14420 NW 151st Blvd.
P.O. Box 519
Alachua, FL 32616

2004 MAY 03 10:59 AM BK 2903 PG 401 J. K. "BUDDY" IRBY CLERK OF CIRCUIT COURT ALACHUA COUNTY,FLORIDA CLERK18 Receipt#187949 Doc Stamp-Deed: 1,285.20

2034532

Parcel ID Number: 03869-000-000 (part of)

Warranty Deed

This Indenture, Made this 29th day

April

, 2004 A.D.,

Between

First Street Group, L.C., a Florida limited liability company

of the County of Alachua

State of Florida

, grantor, and

Wyndswept Hills, LLC, a Florida limited liability company

whose address is: 3024 NE 21st Way, Gainesville, FL 32609

of the County of Alachua

State of Florida

, grantee.

Witnesseth that the GRANTOR, for and in consideration of the sum of

and other good and valuable consideration to GRANTOR in hand paid by GRANTEE, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said GRANTEE and GRANTEE'S heirs, successors and assigns forever, the following described land, situate, lying and being in the County of **Alachua**State of **Florida** to wit:

See Exhibit "A" attached hereto and made a part hereof.

SUBJECT TO THE FOLLOWING:

A. Zoning restrictions, prohibitions and other requirements imposed by governmental authority;

B. Restrictions and matters appearing on the plat and/or common to the subdivision;

C. Taxes for the year 2004 and subsequent years.

and the grantor does hereby fully warrant the title to said land, and will defend the same against lawful claims of all persons whomsoever.

In Witness Whereof, the grantor has hereunto set its hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

First Street Group, L.C., a Florida limited liability company

 \rightarrow

James W. Shaw, Managing Member

P.O. Address: P.O. Box 1990, Alachua, FL 32616

^

Printed Name: warlen & Pondergast

Witness

(Corporate Seal)

(Seal)

STATE OF Florida COUNTY OF Alachua

The foregoing instrument was acknowledged before me this

 29^{17} day of

April

, 2004 by

James W. Shaw, Managing Member of First Street Group, L.C., a Florida limited liability company on behalf of the corporation

he is personally known to me or he has produced his Florida driver's license as identification.

REBECCA BUDNY Notary Public, State of Florida My comm. exp. Dec. 17, 2004 Comm. No. DD 243843

Printed Name: Rebecca Budn.
Notary Public
My Commission Expires:

INSTRUMENT # 2034532 4 PGS

EXHIBIT "A"

LEGAL DESCRIPTION:

A PARCEL OF LAND SITUATED IN THE WILLIAM GARVIN GRANT, TOWNSHIP 8 SOUTH, RANGE 18 EAST, IN THE CITY OF ALACHUA, ALACHUA COUNTY, FLORIDA, SAID PARCEL OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF BLOCK 16 OF DOWNINGS SUBDIVISION, RECORDED IN PLAT BOOK 'C', PAGE 79-A OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA; THENCE SOUTH 87 DEGREES 12 MINUTES 59 SECONDS WEST, ALONG THE NORTH RIGHT-OF-WAY LINE OF NORTHWEST 150th AVENUE (A 40 FOOT RIGHT-OF-WAY), 868.47 FEET TO THE SOUTHEAST CORNER OF BLOCK 14 OF SAID DOWNINGS SUBDIVISION; THENCE SOUTH 87 DEGREES 14 MINUTES 17 SECONDS WEST, ALONG THE SOUTH LINE OF SAID BLOCK 14, 274.60 FEET TO THE EASTERLY LINE OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORD BOOK 1742, PAGE 1462 OF SAID PUBLIC RECORDS; THENCE NORTH 15 DEGREES 30 MINUTES 23 SECONDS EAST, ALONG SAID EASTERLY LINE, 57.84 FEET TO THE NORTHEASTERLY CORNER OF SAID LAND; THENCE NORTH 79 DEGREES 33 MINUTES 04 SECONDS WEST, ALONG THE NORTH LINE OF SAID LAND, 175.60 FEET TO THE NORTHEASTERLY CORNER OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORD BOOK 2000, PAGE 1304 OF SAID PUBLIC RECORDS; THENCE NORTH 85 DEGREES 45 MINUTES 52 SECONDS WEST, ALONG THE NORTH LINE OF SAID LAND, 214.79 FEET TO THE NORTHEAST CORNER OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORD BOOK 2314, PAGE 619 OF SAID PUBLIC RECORDS; THENCE NORTH 85 DEGREES 46 MINUTES 42 SECONDS WEST, ALONG THE NORTH LINE OF SAID LAND, 226.47 FEET TO THE INTERSECTION WITH THE SOUTHERLY PROLONGATION OF THE EASTERLY BOUNDARY LINE OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN DEED BOOK 335, PAGE 461 OF SAID PUBLIC RECORDS AND THE POINT OF BEGINNING;

THENCE NORTH 02 DEGREES 27 MINUTES 17 SECONDS WEST, ALONG SAID SOUTHERLY PROLONGATION, 736.08 FEET TO THE INTERSECTION WITH A NON-TANGENT CURVE TO THE LEFT, CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 430.00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 10 DEGREES 12 MINUTES 29 SECONDS, 76.61 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 86 DEGREES 23 MINUTES 07 SECONDS WEST, 76.51 FEET;

THENCE SOUTH 88 DEGREES 30 MINUTES 38 SECONDS WEST, 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVE NORTHEASTERLY, AND HAVING A RADIUS OF 510.00 FEET:

THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 20 DEGREES 15 MINUTES 25 SECONDS, 180.31 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 81 DEGREES 21 MINUTES 40 SECONDS WEST, 179.37 FEET;

THENCE NORTH 71 DEGREES 13 MINUTES 57 SECONDS WEST, 123.13 FEET; THENCE SOUTH 18 DEGREES 46 MINUTES 03 SECONDS WEST, 137.78 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVE EASTERLY, AND HAVING A RADIUS OF 400.00 FEET:

THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 13 DEGREES 17 MINUTES 10 SECONDS, 92.75 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 12 DEGREES 07 MINUTES 28 SECONDS WEST, 92.55 FEET;

THENCE SOUTH 05 DEGREES 28 MINUTES 53 SECONDS WEST, 227.37 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVE NORTHWESTERLY, AND HAVING A RADIUS OF 400.00 FEET;

THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 26 DEGREES 32 MINUTES 34 SECONDS, 185.30 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 18 DEGREES 45 MINUTES 10 SECONDS WEST, 183.65 FEET;

THENCE SOUTH 32 DEGREES 01 MINUTES 26 SECONDS WEST, 15.35 FEET TO THE NORTHERLY BOUNDARY OF LANDS DESCRIBED IN AFOREMENTIONED OFFICIAL RECORD BOOK 2314, PAGE 619;

THENCE SOUTH 72 DEGREES 58 MINUTES 39 SECONDS EAST, ALONG SAID BOUNDARY, 541.25 FEET;

THENCE SOUTH 85 DEGREES 46 MINUTES 42 SECONDS EAST, CONTINUING ALONG SAID NORTHERLY BOUNDARY, 151.78 FEET TO **THE POINT OF BEGINNING.**

THE ABOVE DESCRIBED PARCEL OF LAND CONTAINS 9.18 ACRES, MORE OR LESS.

EXHIBIT "A" continued



TOGETHER WITH AN EASEMENT FOR INGRESS AND EGRESS AND PUBLIC UTILITIES OVER AND ACROSS THE FOLLOWING DESCRIBED PROPERTY:

DESCRIPTION FOR: INGRESS/EGRESS & PUBLIC UTILITY EASEMENT

DESCRIPTION: (BY SURVEYOR)

AN EIGHTY (80) FOOT STRIP OF LAND LYING IN THE WILLIAM GARVIN GRANT, TOWNSHIP 8 SOUTH, RANGE 18 EAST, IN THE CITY OF ALACHUA, ALACHUA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF BLOCK 16, DOWNINGS SUBDIVISION, AS RECORDED IN PLAT BOOK "C", PAGE 79A OF THE PUBLIC RECORDS OF SAID COUNTY; THENCE SOUTH 87°12'59" WEST, ALONG THE NORTH RIGHT-OF-WAY LINE OF NW 150TH AVENUE (A 40 FOOT RIGHT-OF-WAY), A DISTANCE OF 868.47 FEET TO THE SOUTHEAST CORNER OF BLOCK 14 OF SAID DOWNINGS SUBDIVISION; THENCE SOUTH 87°14'17" WEST, ALONG THE SOUTH LINE OF SAID BLOCK 14, A DISTANCE OF 274.60 FEET TO THE EAST LINE OF SAID WILLIAM GARVIN GRANT AND TO THE EASTERLY LINE OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 1742, PAGE 1462 OF SAID PUBLIC RECORDS; THENCE NORTH 15°30'23" EAST, ALONG SAID EASTERLY LINE, A DISTANCE OF 57.84 FEET TO THE NORTHEASTERLY CORNER OF SAID LANDS; THENCE NORTH 79°33'04" WEST, ALONG THE NORTHERLY LINE OF SAID LANDS, A DISTANCE OF 175.60 FEET TO THE NORTHEASTERLY CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2000, PAGE 1304 OF SAID PUBLIC RECORDS; THENCE NORTH 85°45'52" WEST, ALONG THE NORTH LINE OF SAID LANDS, A DISTANCE OF 214.79 FEET TO THE NORTHEAST CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2314, PAGE 619 OF SAID PUBLIC RECORDS; THENCE NORTH 85°46'42" WEST, ALONG THE NORTH LINE OF SAID LANDS, A DISTANCE OF 226.47 FEET TO THE INTERSECTION WITH THE SOUTHERLY PROJECTION OF THE EAST LINE OF LANDS DESCRIBED IN DEED BOOK 335, PAGE 461 OF SAID PUBLIC RECORDS; THENCE NORTH 02°27'17" WEST, ALONG SAID SOUTHERLY PROJECTION, A DISTANCE OF 736.08 FEET TO THE BEGINNING OF A NON-TANGENT CURVE TO THE LEFT, CONCAVED SOUTHERLY, HAVING A RADIUS OF 430.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 86°22'53" WEST, 76.57 FEET, SAID POINT ALSO BEING THE POINT OF BEGINNING;

THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°12′59", AN ARC DISTANCE OF 76.67 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 88°30′38" WEST, A DISTANCE OF 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVED NORTHEASTERLY, HAVING A RADIUS OF 510.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 81°21′40" WEST, 179.37 FEET;

THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°15'25", AN ARC DISTANCE OF 180.31 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°13'57" WEST, A DISTANCE OF 751.82 FEET;

THENCE NORTH 18°46'03" EAST, A DISTANCE OF 80.00 FEET;

THENCE SOUTH 71°13'57" EAST, A DISTANCE OF 751.82 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVED NORTHEASTERLY, HAVING A RADIUS OF 430.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 81°21'40" EAST, 151.24 FEET;


THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°15'25", AN ARC DISTANCE OF 152.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 88°30'38" EAST, A DISTANCE OF 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVED SOUTHERLY, HAVING A RADIUS OF 510.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 87°16'13" EAST. 75.04 FEET:

THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 08°26'17", AN ARC DISTANCE OF 75.11 FEET TO THE AFOREMENTIONED SOUTHERLY PROJECTION OF THE EAST LINE OF LANDS DESCRIBED IN DEED BOOK 335, PAGE 461;

THENCE SOUTH 02°27'13" EAST, ALONG SAID SOUTHERLY PROJECTION, A DISTANCE OF 81.30 FEET TO THE **POINT OF BEGINNING**.

THE ABOVE DESCRIBED STRIP OF LAND CONTAINS 2.035 ACRES, MORE OR LESS.

THE FOREGOING EASEMENT AND ANY AND ALL RIGHTS GIVEN TO GRANTEE HEREUNDER ARE TEMPORARY AND SHALL AUTOMATICALLY TERMINATE AND BE OF NO FURTHER FORCE AND EFFECT AT SUCH TIME AS THE ROAD IS CONSTRUCTED, AND COMPLETED AND THE EASEMENT AREA HAS BEEN DEDICATED OR CONVEYED TO AND ACCEPTED BY THE CITY OF ALACHUA.



RECORDED IN OFFICIAL RECORDS INSTRUMENT # 2044556 3 PGS

2004 JUN 07 10:51 AM BK 2929 PG 874 J. K. "BUDDY" IRBY CLERK OF CIRCUIT COURT ALACHUA COUNTY,FLORIDA

CLERK18 Receipt#192951 Doc Stamp-Deed: 2,933.00

This Document Prepared By and Return to: Darryl J. Tompkins, Esquire Darryl J. Tompkins, P.A. 14420 NW 151st Blvd. P.O. Box 519 Alachua, FL 32616

Parcel ID Number:

Warranty Deed

2044556

This Indenture, Made this \ day of June , 2004 A.D., Between First Street Group, L.C., a Florida limited liability company

of the County of Alachua , State of Florida , grantor, and 10.47, LLC, a Florida limited liability company

whose address is: 3024 NW 21st Way, Gainesville, FL 32609

of the County of Alachua , State of Florida , grantee.

Witnesseth that the GRANTOR, for and in consideration of the sum of

and other good and valuable consideration to GRANTEE and GRANTEE'S heirs, successors and assigns forever, the following described land, situate, lying and being in the County of Alachua

[\$10] -----
DOLLARS, the receipt whereof is hereby acknowledged, has heirs, successors and assigns forever, the following described land, situate, lying and being in the County of Alachua

State of Florida to wit:

See Exhibit "A" attached hereto and made a part hereof.

SUBJECT TO THE FOLLOWING:

A. Zoning restrictions, prohibitions and other requirements imposed by governmental authority;

B. Restrictions and matters appearing on the plat and/or common to the subdivision;

C. Taxes for the year 2004 and subsequent years.

and the grantor does hereby fully warrant the title to said land, and will defend the same against lawful claims of all persons whomsoever.

In Witness Whereof, the grantor has hereunto set its hand and seal the day and year first above written.

Signed, sealed and delivered in our presence: First Street Group, L.C., a Florida

Printed Name: Warley Company

Phillip V. Hawley, Manager

Ph.O. Address: P.O. Box 1990, Alachua, FU. 12666

Printed Name: DOROW, T. TAMPEUT

Witness

(Corporate Seal)

, 2004

STATE OF Florida COUNTY OF Alachua

The foregoing instrument was acknowledged before me this day of June

Phillip L. Hawley, Manager of First Street Group, L.C., a Florida limited liability company on behalf of the corporation

he is personally known to me or he has produced his Florida driver's license as identification.

Mariene Pendergast

My Commission DD248314

Printed Name:

Expires September 09 2007

Notary Public

My Commission Expires:

EXHIBIT "A"

LEGAL DESCRIPTION:

A PARCEL OF LAND SITUATED IN THE WILLIAM GARVIN GRANT, TOWNSHIP 8 SOUTH, RANGE 18 EAST, IN THE CITY OF ALACHUA, ALACHUA COUNTY, FLORIDA, SAID PARCEL OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF BLOCK 16 OF DOWNINGS SUBDIVISION, RECORDED IN PLAT BOOK 'C', PAGE 79-A OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA; THENCE SOUTH 87 DEGREES 12 MINUTES 59 SECONDS WEST, ALONG THE NORTH RIGHT-OF-WAY LINE OF NORTHWEST 150th AVENUE (A 40 FOOT RIGHT-OF-WAY), 868.47 FEET TO THE SOUTHEAST CORNER OF BLOCK 14 OF SAID DOWNINGS SUBDIVISION; THENCE SOUTH 87 DEGREES 14 MINUTES 17 SECONDS WEST, ALONG THE SOUTH LINE OF SAID BLOCK 14, 274.60 FEET TO THE EASTERLY LINE OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORD BOOK 1742, PAGE 1462 OF SAID PUBLIC RECORDS; THENCE NORTH 15 DEGREES 30 MINUTES 23 SECONDS EAST, ALONG SAID EASTERLY LINE, 57.84 FEET TO THE NORTHEASTERLY CORNER OF SAID LAND; THENCE NORTH 79 DEGREES 33 MINUTES 04 SECONDS WEST, ALONG THE NORTH LINE OF SAID LAND, 175.60 FEET TO THE NORTHEASTERLY CORNER OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORD BOOK 2000, PAGE 1304 OF SAID PUBLIC RECORDS; THENCE NORTH 85 DEGREES 45 MINUTES 52 SECONDS WEST, ALONG THE NORTH LINE OF SAID LAND, 214.79 FEET TO THE NORTHEAST CORNER OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN OFFICIAL RECORD BOOK 2314, PAGE 619 OF SAID PUBLIC RECORDS; THENCE NORTH 85 DEGREES 46 MINUTES 42 SECONDS WEST, ALONG THE NORTH LINE OF SAID LAND, 378.25 FEET; THENCE NORTH 72 DEGREES 58 MINUTES 39 SECONDS WEST, CONTINUING ALONG SAID NORTH LINE, 541.25 FEET TO THE POINT OF BEGINNING;

THENCE NORTH 72 DEGREES 58 MINUTES 39 SECONDS WEST, CONTINUING ALONG SAID NORTH LINE, 816.01 FEET TO A POINT ON A NON-TANGENT CURVE TO THE RIGHT, CONCAVE SOUTHEASTERLY, AND HAVING A RADIUS OF 500.00 FEET; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 10 DEGREES 13 MINUTES 35 SECONDS, 89.24 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 41 DEGREES 33 MINUTES 15 SECONDS EAST, 89.12 FEET; THENCE NORTH 46 DEGREES 40 MINUTES 02 SECONDS EAST, 74.26 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVE NORTHWESTERLY, AND HAVING A RADIUS OF 500.00 FEET:

THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 27 DEGREES 53 MINUTES 59 SECONDS, 243.47 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 32 DEGREES 43 MINUTES 02 SECONDS EAST, 241.07 FEET;

THENCE NORTH 18 DEGREES 46 MINUTES 03 SECONDS EAST, 292.67 FEET;

THENCE SOUTH 71 DEGREES 13 MINUTES 57 SECONDS EAST, 628.76 FEET;

THENCE SOUTH 18 DEGREES 46 MINUTES 03 SECONDS WEST, 137.78 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVE EASTERLY, AND HAVING A RADIUS OF 400.00 FEET;

THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 13 DEGREES 17 MINUTES 10 SECONDS, 92.75 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 12 DEGREES 07 MINUTES 28 SECONDS WEST, 92.55 FEET;

THENCE SOUTH 05 DEGREES 28 MINUTES 53 SECONDS WEST, 227.37 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVE NORTHWESTERLY, AND HAVING A RADIUS OF 400.00 FEET:

THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 26 DEGREES 32 MINUTES 34 SECONDS, 185.30 FEET TO THE POINT OF TANGENCY, SAID CURVE BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 18 DEGREES 45 MINUTES 10 SECONDS WEST, 183.65 FEET;

THENCE SOUTH 32 DEGREES 01 MINUTES 26 SECONDS WEST, 15.35 FEET TO THE POINT OF BEGINNING.

THE ABOVE DESCRIBED PARCEL OF LAND CONTAINS 10.473 ACRES, MORE OR LESS.

EXHIBIT "A" continued

TOGETHER WITH AN EASEMENT FOR INGRESS AND EGRESS AND PUBLIC UTILITIES OVER AND ACROSS THE FOLLOWING DESCRIBED PROPERTY:

DESCRIPTION FOR: INGRESS/EGRESS & PUBLIC UTILITY EASEMENT

DESCRIPTION: (BY SURVEYOR)

AN EIGHTY (80) FOOT STRIP OF LAND LYING IN THE WILLIAM GARVIN GRANT, TOWNSHIP 8 SOUTH, RANGE 18 EAST, IN THE CITY OF ALACHUA, ALACHUA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF BLOCK 16, DOWNINGS SUBDIVISION, AS RECORDED IN PLAT BOOK "C", PAGE 79A OF THE PUBLIC RECORDS OF SAID COUNTY; THENCE SOUTH 87°12'59" WEST, ALONG THE NORTH RIGHT-OF-WAY LINE OF NW 150TH AVENUE (A 40 FOOT RIGHT-OF-WAY), A DISTANCE OF 868.47 FEET TO THE SOUTHEAST CORNER OF BLOCK 14 OF SAID DOWNINGS SUBDIVISION; THENCE SOUTH 87°14'17" WEST, ALONG THE SOUTH LINE OF SAID BLOCK 14, A DISTANCE OF 274.60 FEET TO THE EAST LINE OF SAID WILLIAM GARVIN GRANT AND TO THE EASTERLY LINE OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 1742, PAGE 1462 OF SAID PUBLIC RECORDS; THENCE NORTH 15°30'23" EAST, ALONG SAID EASTERLY LINE, A DISTANCE OF 57.84 FEET TO THE NORTHEASTERLY CORNER OF SAID LANDS: THENCE NORTH 79°33'04" WEST, ALONG THE NORTHERLY LINE OF SAID LANDS, A DISTANCE OF 175.60 FEET TO THE NORTHEASTERLY CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2000, PAGE 1304 OF SAID PUBLIC RECORDS; THENCE NORTH 85°45'52" WEST, ALONG THE NORTH LINE OF SAID LANDS, A DISTANCE OF 214.79 FEET TO THE NORTHEAST CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2314, PAGE 619 OF SAID PUBLIC RECORDS; THENCE NORTH 85°46'42" WEST, ALONG THE NORTH LINE OF SAID LANDS, A DISTANCE OF 226.47 FEET TO THE INTERSECTION WITH THE SOUTHERLY PROJECTION OF THE EAST LINE OF LANDS DESCRIBED IN DEED BOOK 335, PAGE 461 OF SAID PUBLIC RECORDS; THENCE NORTH 02°27'17" WEST, ALONG SAID SOUTHERLY PROJECTION, A DISTANCE OF 736.08 FEET TO THE BEGINNING OF A NON-TANGENT CURVE TO THE LEFT, CONCAVED SOUTHERLY, HAVING A RADIUS OF 430.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 86°22'53" WEST, 76.57 FEET, SAID POINT ALSO BEING THE POINT OF BEGINNING:

THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 10°12'59", AN ARC DISTANCE OF 76.67 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 88°30'38" WEST, A DISTANCE OF 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVED NORTHEASTERLY, HAVING A RADIUS OF 510.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 81°21'40" WEST, 179.37 FEET;

THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°15'25", AN ARC DISTANCE OF 180.31 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°13'57" WEST, A DISTANCE OF 751.82 FEET;

THENCE NORTH 18°46'03" EAST, A DISTANCE OF 80.00 FEET;

THENCE SOUTH 71°13'57" EAST, A DISTANCE OF 751.82 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVED NORTHEASTERLY, HAVING A RADIUS OF 430.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 81°21'40" EAST. 151.24 FEET:

THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°15'25", AN ARC DISTANCE OF 152.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 88°30'38" EAST, A DISTANCE OF 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVED SOUTHERLY, HAVING A RADIUS OF 510.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 87°16'13" EAST, 75.04 FEET;

THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 08°26'17", AN ARC DISTANCE OF 75.11 FEET TO THE AFOREMENTIONED SOUTHERLY PROJECTION OF THE EAST LINE OF LANDS DESCRIBED IN DEED BOOK 335, PAGE 461;

THENCE SOUTH 02°27'13" EAST, ALONG SAID SOUTHERLY PROJECTION, A DISTANCE OF 81.30 FEET TO THE **POINT OF BEGINNING**.

THE ABOVE DESCRIBED STRIP OF LAND CONTAINS 2.035 ACRES, MORE OR LESS.

THE FOREGOING EASEMENT AND ANY AND ALL RIGHTS GIVEN TO GRANTEE HEREUNDER ARE TEMPORARY AND SHALL AUTOMATICALLY TERMINATE AND BE OF NO FURTHER FORCE AND EFFECT AT SUCH TIME AS THE ROAD IS CONSTRUCTED, AND COMPLETED AND THE EASEMENT AREA HAS BEEN DEDICATED OR CONVEYED TO AND ACCEPTED BY THE CITY OF ALACHUA.

RECORDED IN OFFICIAL RECORDS INSTRUMENT # 2185379 3 PGS

This Document Prepared By and Return to:

Darryl J. Tompkins, Esquire
Darryl J. Tompkins, P.A.

14420 NW 151st Blvd.
P.O. Box 519
Alachua, FL 32616

2005 OCT 28 11:33 AM BK 3247 PG 676

J. K. "BUDDY" IRBY

CLERK OF CIRCUIT COURT

ALACHUA COUNTY, FLORIDA

CLERK12 Receipt#258641

Doc Stamp-Deed: 4,536.00

Parcel ID Number: 03869-000-000 portion of

Special Warranty Deed

This Indenture, Made this 19th day of October, 2005 A.D., Between First Street Group, L.C., a Florida limited liability company

of the County of Alachua , State of Florida

, grantor, and

10.47, LLC, a Florida limited liability company

whose address is: 14110 NW 21st Lane, Gainesville, FL 32606

of the County of Alachua

State of Florida

, grantee.

Witnesseth that the GRANTOR, for and in consideration of the sum of

and other good and valuable consideration to GRANTOR in hand paid by GRANTEE, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said GRANTEE and GRANTEE'S heirs, successors and assigns forever, the following described land, situate, lying and being in the County of Alachua State of Florida to wit:

See Exhibit "A" attached hereto.

SUBJECT TO THE FOLLOWING:

A. Zoning restrictions, prohibitions and other requirements imposed by governmental authority;

B. Restrictions and matters appearing on the plat and/or common to the subdivision;

C. Taxes for the year 2006 and subsequent years.



Together with all tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

Signed, sealed and delivered in our presence:

And the grantor hereby covenants with said grantee that grantor is lawfully seized of said land in fee simple; that grantor has good right and lawful authority to sell and convey said land; that grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons claiming by, through or under grantor.

In Witness Whereof, the grantor has hereunto set its hand and seal the day and year first above written.

Printed Name: Now Penters of P.O. Address: P.O. Box 1990, Alachua, FL 32616

| Seal | P.O. Address: P.O. Box 1990, Alachua, FL 32616

Printed Name: JAKK J. TOMPKINS Witness

(Corporate Seal)

L.C., a Florida

STATE OF FLORIDA COUNTY OF ALACHUA

The foregoing instrument was acknowledged before me this 1976 day of

day of October

First Street Group

, 2005 by

James W. Shaw, Manager of First Street Group, L.C., a Florida limited liability company on behalf of the corporation

he is personally known to me or he has produced his Florida driver's license as identification.



Printed Name: marken Vanderys
Notary Public
My Commission Expires:


EXHIBT "A"

DESCRIPTION PARCEL:

A PARCEL OF LAND SITUATED IN THE WILLIAM GARVIN GRANT, TOWNSHIP 8 SOUTH, RANGE 18 EAST, IN THE CITY OF ALACHUA, ALACHUA COUNTY, FLORIDA, SAID PARCEL OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE SOUTHEAST CORNER OF BLOCK 16 OF DOWNING SUBDIVISION, RECORDED IN PLAT BOOK 'C', PAGE 79-A OF THE PUBLIC RECORDS OF ALACHUA COUNTY, FLORIDA; THENCE SOUTH 87 DEG.12'59" WEST, ALONG THE NORTH RIGHT-OF-WAY LINE OF NORTHWEST 150th AVENUE (A 40 FOOT RIGHT-OF-WAY), 868.47 FEET TO THE SOUTHEAST CORNER OF BLOCK 14 OF SAID DOWNING SUBDIVISION; THENCE SOUTH 87 DEG.14'17" WEST, ALONG THE SOUTH LINE OF SAID BLOCK 14, A DISTANCE OF 274.60 FEET TO THE EASTERLY LINE OF THE LAND DESCRIBED IN O.R. BOOK 1742, PAGE 1462 OF SAID PUBLIC RECORDS; THENCE NORTH 15 DEG.30'23" EAST, ALONG SAID EASTERLY LINE, 57.84 FEET TO THE NORTHEASTERLY CORNER OF SAID LAND; THENCE NORTH 79 DEG.33'04" WEST, ALONG THE NORTH LINE OF SAID LAND, 175.60 FEET TO THE NORTHEASTERLY CORNER OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN O.R. BOOK 2000, PAGE 1304 OF SAID PUBLIC RECORDS; THENCE NORTH 85 DEG.45'52" WEST, ALONG THE NORTH LINE OF SAID LAND, 214.79 FEET TO THE NORTHEAST CORNER OF THAT CERTAIN PARCEL OF LAND DESCRIBED IN O.R. BOOK 2314, PAGE 619 OF SAID PUBLIC RECORDS; THENCE NORTH 85 DEG.46'42" WEST, ALONG THE NORTH LINE OF SAID LAND, 378.25 FEET; THENCE NORTH 72 DEG.58'39" WEST, CONTINUING ALONG SAID NORTH LINE, 1357.26 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 72 DEG.58'39" WEST, ALONG SAID NORTH LINE, A DISTANCE OF 720.65 FEET; THENCE NORTH 41 DEG.03'33" EAST, A DISTANCE OF 752.41 FEET TO THE INTERSECTION WITH A NON-TANGENT CURVE TO THE RIGHT, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 460.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 72 DEG.02'33" EAST, 13.01 FEET; THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 1 DEG.37'12", AN ARC DISTANCE OF 13.01 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 71 DEG.13'57" EAST, A DISTANCE OF 549.27 FEET TO THE NORTHWESTERLY LINE OF THE LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2929, PAGE 874; THENCE ALONG THE SAID NORTHWESTERLY LINE THE FOLLOWING 4 COURSES (1) SOUTH 18 DEG.46'03" WEST, A DISTANCE OF 292.67 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 500.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 32 DEG.43'02" WEST, 241.07 FEET; (2) THENCE ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 27 DEG.53'58", AN ARC DISTANCE OF 243.47 FEET TO THE POINT OF TANGENCY; (3) THENCE SOUTH 46 DEG.40'02" WEST, A DISTANCE OF 74.26 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 500.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 41 DEG.33'15" WEST, 89.12 FEET; (4) THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 10 DEG.13'33", AN ARC DISTANCE OF 89.24 FEET TO THE POINT OF BEGINNING.

THE ABOVE DESCRIBED PARCEL OF LAND CONTAINS 10.598 ACRES, MORE OR LESS.



This Document Prepared By and Return to: Darryl J. Tompkins, Esquire Darryl J. Tompkins, P.A. 14420 NW 151st Blvd. P.O. Box 519 Alachua, FL 32616

2005 OCT 28 11:33 AM BK 3247 PG 682 J. K. "BUDDY" IRBY CLERK OF CIRCUIT COURT ALACHUA COUNTY, FLORIDA CLERK12 Receipt#258641 Doc Stamp-Deed:



Parcel ID Number: 03869-000-000 portion of

Special Warranty Deed

Made this 19th day of This Indenture, October

, 2005 A.D.,

Between

First Street Group, L.C., a Florida limited liability company

of the County of Alachua

State of Florida

, grantor, and

10.47, LLC, a Florida limited liability company

whose address is: 14110 NW 21st Lane, Gainesville, FL 32606

of the County of Alachua

State of Florida

, grantee.

Witnesseth that the GRANTOR, for and in consideration of the sum of

DOLLARS, and other good and valuable consideration to GRANTOR in hand paid by GRANTEE, the receipt whereof is hereby acknowledged, has granted, bargained and sold to the said GRANTEE and GRANTEE'S heirs, successors and assigns forever, the following described land, situate, State of Florida lying and being in the County of Alachua

See Exhibit "A" attached hereto.

SUBJECT TO THE FOLLOWING:

- Zoning restrictions, prohibitions and other requirements imposed by governmental authority;
- B. Restrictions and matters appearing on the plat and/or common to the subdivision;
- Taxes for the year 2006 and subsequent years.

GRANTOR HEREBY RESERVES FOR ITSELF ITS SUCCESSORS AND/OR ASSIGNS A NON-EXCLUSIVE EASEMENT FOR INGRESS AND EGRESS AND PUBIC UTILITIES OVER AND ACROSS THE PROPERTY DESCRIBED IN EXHIBIT "A". SAID EASEMENT SHALL AUTOMATICALLY TERMINATE UPON CONVEYANCE AND ACCEPTANCE OF THE PROPERTY DESCRIBED IN EXHIBIT "A", BY THE CITY OF ALACHUA AS A PUBLIC RIGHT OF WAY.

Together with all tenements, hereditaments and appurtenances thereto belonging or in anywise appertaining.

To Have and to Hold, the same in fee simple forever.

And the grantor hereby covenants with said grantee that grantor is lawfully seized of said land in fee simple; that grantor has good right and lawful authority to sell and convey said land; that grantor hereby fully warrants the title to said land and will defend the same against the lawful claims of all persons claiming by, through or under grantor.

In Witness Whereof, the grantor has hereunto set its hand and seal the day and year first above written.

Signed, sealed and delivered in our presence:

First Street Gropp, L.C., a Florida

limited limbility company

Printed Name

James W. Shaw, Manager P.O. Address: P.O. Box 1990, Alachua, FL 32616

Printed Name: Witness

(Corporate Seal)

STATE OF FLORIDA COUNTY OF ALACHUA


The foregoing instrument was acknowledged before me this

day of October

, 2005

James W. Shaw, Manager of First Street Group, L.C., a Florida limited liability company on behalf of the corporation

he is personally known to me or he has produced his Florida driver's license as identification.



Printed Name: Make Notary Public My Commission Expires

EXHIBT "A"


AN EIGHTY (80) FOOT STRIP OF LAND LYING IN THE WILLIAM GARVIN GRANT, TOWNSHIP 8 SOUTH, RANGE 18 EAST, IN THE CITY OF ALACHUA, ALACHUA COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:


COMMENCE AT THE SOUTHEAST CORNER OF BLOCK 16, DOWNINGS SUBDIVISION, AS RECORDED IN PLAT BOOK "C", PAGE 79A OF THE PUBLIC RECORDS OF SAID COUNTY; THENCE SOUTH 87°12'59" WEST, ALONG THE NORTH RIGHT-OF-WAY LINE OF NW 150TH AVENUE (A 40 FOOT RIGHT-OF-WAY), A DISTANCE OF 868.47 FEET TO THE SOUTHEAST CORNER OF BLOCK 14 OF SAID DOWNINGS SUBDIVISION; THENCE SOUTH 87°14'17" WEST, ALONG THE SOUTH LINE OF SAID BLOCK 14, A DISTANCE OF 274.60 FEET TO THE EAST LINE OF SAID WILLIAM GARVIN GRANT AND TO THE EASTERLY LINE OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 1742, PAGE 1462 OF SAID PUBLIC RECORDS; THENCE NORTH 15°30'23" EAST, ALONG SAID EASTERLY LINE, A DISTANCE OF 57.84 FEET TO THE NORTHEASTERLY CORNER OF SAID LANDS; THENCE NORTH 79°33'04" WEST, ALONG THE NORTHERLY LINE OF SAID LANDS, A DISTANCE OF 175.60 FEET TO THE NORTHEASTERLY CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2000, PAGE 1304 OF SAID PUBLIC RECORDS; THENCE NORTH 85°45'52" WEST, ALONG THE NORTH LINE OF SAID LANDS. A DISTANCE OF 214.79 FEET TO THE NORTHEAST CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2314, PAGE 619 OF SAID PUBLIC RECORDS; THENCE NORTH 85°46'42" WEST, ALONG THE NORTH LINE OF SAID LANDS, A DISTANCE OF 226.47 FEET TO THE INTERSECTION WITH THE SOUTHERLY PROJECTION OF THE EAST LINE OF LANDS DESCRIBED IN DEED BOOK 335, PAGE 461 OF SAID PUBLIC RECORDS AND THE SOUTHEAST CORNER OF LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 2903, PAGE 401 OF SAID PUBLIC RECORDS; THENCE NORTH 02°27'17" WEST, ALONG SAID SOUTHERLY PROJECTION AND ALONG THE EAST LINE OF LANDS DESCRIBED IN SAID OFFICIAL RECORDS BOOK 2903, PAGE 401, A DISTANCE OF 736.08 FEET TO THE BEGINNING OF A NON-TANGENT CURVE TO THE LEFT, CONCAVED SOUTHERLY, HAVING A RADIUS OF 430.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 86°22'53" WEST, 76.57 FEET, SAID POINT ALSO BEING THE NORTHEAST CORNER OF LANDS DESCRIBED IN SAID OFFICIAL RECORDS BOOK 2903, PAGE 401, AND THE

POINT OF BEGINNING:


THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE AND ALONG THE NORTH LINE OF SAID LANDS, THROUGH A CENTRAL ANGLE OF 10°12'59", AN ARC DISTANCE OF 76.67 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 88°30'38" WEST, ALONG SAID NORTH LINE, A DISTANCE OF 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVED NORTHEASTERLY, HAVING A RADIUS OF 510.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 81°21'40" WEST, 179.37 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE AND SAID NORTH LINE, THROUGH A CENTRAL ANGLE OF 20°15'25", AN ARC DISTANCE OF 180.31 FEET TO THE POINT OF TANGENCY; THENCE NORTH 71°13'57" WEST, A DISTANCE OF 1301.22 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVED SOUTHWESTERLY, HAVING A RADIUS OF 460.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 72°02'33" WEST, 13.01 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 01°37'12", AN ARC DISTANCE OF 13.00 FEET TO THE POINT OF TANGENCY; THENCE NORTH 41°03'33" EAST, A DISTANCE OF 86.66 FEET; THENCE SOUTH 71°13'57" EAST, A DISTANCE OF 1281.35 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, CONCAVED NORTHEASTERLY, HAVING A RADIUS OF 430.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 81°21'40" EAST, 151.24 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 20°15'25", AN ARC DISTANCE OF 152.03 FEET TO THE POINT OF TANGENCY; THENCE NORTH 88°30'38" EAST, A DISTANCE OF 114.48 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE RIGHT, CONCAVED SOUTHERLY, HAVING A RADIUS OF 510.00 FEET, AND BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 87°16'13" EAST, 75.04 FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE, THROUGH A CENTRAL ANGLE OF 08°26'17", AN ARC DISTANCE OF 75.11 FEET TO THE AFOREMENTIONED SOUTHERLY PROJECTION OF THE EAST LINE OF LANDS DESCRIBED IN DEED BOOK 335, PAGE 461; THENCE SOUTH 02°27'13" EAST, ALONG SAID SOUTHERLY PROJECTION AND ALONG THE MOST WESTERLY BOUNDARY LINE OF THE CITY OF ALACHUA'S RIGHT OF WAY LINE AS DESCRIBED IN OFFICIAL RECORDS BOOK 2844, PAGE 1121 OF SAID PUBLIC RECORDS (N.W. 151st BOULEVARD), A DISTANCE OF 81.30 FEET TO THE POINT OF BEGINNING.

THE ABOVE DESCRIBED STRIP OF LAND CONTAINS 3.04 ACRES, MORE OR LESS.












ILLUSTRATION 2B: PROPOSED FLU MAP





